

IN ON "MAP OF BRIDGE LANE -
NACK ASSOCIATES"
-21-43 AS # 9445
SAGAPONACK
SOUTHAMPTON
COUNTY, NY

0-17-4-316
R ALLEN BARN
CORPORATION
TRUCK
L ROAD
T 06030
10-31-00
1-05-00
02-00

Map of Sagsaponack, Section One
Filed 10-13-04 as Map # 4192



Drainage Calculations: 2" rainfall
 Driveway & Parking Area = $872 \text{ s.f.} \times 0.166' = 1453 \text{ c.f.}$
 Runoff Coefficient 0.75 x 1453 = 1090 c.f. needs
 (4) 10" Dia. x 4' deep drainage pools provide 1256 c.f.
 Building Area = $3200 \text{ s.f.} \times 0.17' = 544 \text{ c.f.}$
 Runoff Coefficient 0.75 x 544 = 408 c.f. needs
 (2) 10" Dia. x 4' Deep roof Drains provide 620 c.f.



PARKING PROVIDED
 Warehouse, indoor storage = 1 per 1000 s.f. + 1 per employ
 $3200 / 1000 = 3.2 = 4 \text{ spaces} + 2 \text{ employees} = 6 \text{ spots}$
 Under 5000 s.f. no truck spaces handicapped - even

